

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Rose

VK/04730/RB/WW




Rust Brown. 2700K. 5W. 196lm. DC24V. LED Bridgelux. 50.000hrs. 90°. Dimmable No. -20°C → 45°C. Outdoor ground. CRI>90. Aluminum. IP65

IP65




Dimensions



Gallery





Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	2700K
Power	5W
Voltage	DC24V
Fitting	Outdoor ground
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	IP65
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	-20°C-45°C
PAGE	380 New Products 2026
NICKNAME	Rose

Physical Specifications	
Family	Rose
Color	Rust brown
Material	Aluminum
Width	ø5cm
Length	ø5cm
Height	97cm + 19cm (+20cm spike)

Illumination Data	
Lumen	196lm
Beam angle	90°
Lighting direction	

Packing Info	
Pcs/carton	5pcs

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

ENERG

VK LEADING LIGHT
VKJ04730/RB/WW

A
B
C
D
E
F
G

4 kWh/1000h

2019/2015